


## DGO series - Large - Rubber hose



<p><b><u>ID/OD (mm)</u></b></p> <p>10 x 17</p>	<p><b><u>Length (m)</u></b></p> <p>25</p>	<p><b><u>Coupler</u></b></p> <p>ESI 07</p>	<p><b><u>Flow rate (l/min)</u></b></p> <p>500</p>
<p><b><u>Swivel inlet (BSPP)</u></b></p> <p>G 3/8 F</p>	<p><b><u>Weight (kg)</u></b></p> <p>26</p>	<p><b><u>Technology</u></b></p> <p>Pipe locked with ratchet stop</p>	<p><b><u>Max operating pressure</u></b></p> <p>12 bar</p>
<p><b><u>Construction</u></b></p> <p>Epoxy-coated steel case</p>	<p><b><u>Connection</u></b></p> <p>1 m of inlet supply hose</p>	<p><b><u>Equipped with</u></b></p> <p>Fixed bracket</p>	

### Description

Reference	ID/OD (mm)	Length (m)	Coupler	Flow rate (l/min)	Swivel inlet (BSPF)	Weight (kg)
<b>DGO 1025ES</b>	10 x 17	25	ESI 07	500	G 3/8 F	26
<b>DGO 1320ES</b>	13 x 20	20	ESI 07	1000	G 1/2 M	27
<b>DGO 1610ES</b>	16 x 23	10	ESI 11EB	3000	G 1/2 M	27
<b>DGO 1025IS</b>	10 x 17	25	ISI 06	500	G 3/8 F	26
<b>DGO 1320IS</b>	13 x 20	20	ISI 08	1000	G 1/2 M	27
<b>DGO 1610IS</b>	16 x 23	10	ISI 11EB	3000	G 1/2 M	25
<b>DGO 1025CS</b>	10 x 17	25	CSI 06	500	G 3/8 F	26
<b>DGO 1320CS</b>	13 x 20	20	CSI 08	1000	G 1/2 M	27



### Dimensions

Reference	A mm	B mm	C mm
<b>DGO 1025ES</b>	485	475	237
<b>DGO 1320ES</b>	485	475	237
<b>DGO 1610ES</b>	485	475	237
<b>DGO 1025IS</b>	485	475	237
<b>DGO 1320IS</b>	485	475	237
<b>DGO 1610IS</b>	485	475	237
<b>DGO 1025CS</b>	485	475	237
<b>DGO 1320CS</b>	485	475	237