

## FLEXAIR high flexibility hybrid polymer hose extension with prevoS1 safety quick couplers



|                                |                                             |                                          |                                      |
|--------------------------------|---------------------------------------------|------------------------------------------|--------------------------------------|
| <u>ID/OD (mm)</u><br>10 x 15,5 | <u>Length (m)</u><br>10                     | <u>Profile</u><br>British                | <u>Coupler</u><br>BSI 06             |
| <u>Adaptor</u><br>BRP 06       | <u>Equipped with</u><br>Protector           | <u>Operating pressure</u><br>2 to 12 bar | <u>Temperature</u><br>-15°C to +60°C |
| <u>Construction</u><br>PVC     | <u>Equipped with</u><br>Coupler and adaptor |                                          |                                      |

| Description         |            |            |         |         |         |               |
|---------------------|------------|------------|---------|---------|---------|---------------|
| Reference           | ID/OD (mm) | Length (m) | Profile | Coupler | Adaptor | Equipped with |
| <b>RAL RBSB0810</b> | 8 x 12,5   | 13         | British | BSI 06  | BRP 06  | Protector     |
| <b>RAL RBSB0820</b> | 8 x 12,5   | 14         | British | BSI 06  | BRP 06  | Protector     |
| <b>RAL RBSB1010</b> | 10 x 15,5  | 10         | British | BSI 06  | BRP 06  | Protector     |
| <b>RAL RBSB1020</b> | 10 x 15,5  | 16         | British | BSI 06  | BRP 06  | Protector     |

| Reference            | ID/OD(mm) | Length (m) | Profile       | Coupler  | Adaptor | Equipped with |
|----------------------|-----------|------------|---------------|----------|---------|---------------|
| <b>RAL RESB0810</b>  | 8 x 12,5  | 10         | European 7,4  | ESI 07   | ERP 07  | Protector     |
| <b>RAL RESB0820</b>  | 8 x 12,5  | 20         | European 7,4  | ESI 07   | ERP 07  | Protector     |
| <b>RAL RESB1010</b>  | 10 x 15,5 | 10         | European 7.4  | ESI 07   | ERP 07  | Protector     |
| <b>RAL RESB1020</b>  | 10 x 15,5 | 20         | European 7,4  | ESI 07   | ERP 07  | Protector     |
| <b>RAL RESB1320</b>  | 13 x 19   | 20         | European 7,4  | ESI 07   | ERP 07  | Protector     |
| <b>RAL RESEB1320</b> | 13 x 19   | 20         | European 10,4 | ESI 11EB | ERP 11  | Protecteur    |
| <b>RAL RCSB0810</b>  | 8 x 12,5  | 10         | ISO 6150 C    | CSI 06   | CRP 06  | Protector     |
| <b>RAL RCSB0820</b>  | 8 x 12,5  | 20         | ISO 6150 C    | CSI 06   | CRP 06  | Protector     |
| <b>RAL RCSB1010</b>  | 10 x 15,5 | 10         | ISO 6150 C    | CSI 06   | CRP 06  | Protector     |
| <b>RAL RCSB1020</b>  | 10 x 15,5 | 20         | ISO 6150 C    | CSI 06   | CRP 06  | Protector     |
| <b>RAL RCSB1320</b>  | 13 x 19   | 20         | ISO 6150 C    | CSI 08   | CRP 06  | Protector     |

