

Treated steel double ear o clips



Ø min./max. (mm)

05 - 07

Band width (mm)

6

Packaging

100


Highlight

Tamperproof clamp

Description

| Reference | Ø min./max. (mm) | Band width (mm) | Packaging |
|-------------|------------------|-----------------|-----------|
| 0709 | 07 - 09 | 6 | 100 |
| 0911 | 09 - 11 | 7 | 100 |
| 1113 | 11 - 13 | 7 | 100 |
| 1315 | 13 - 15 | 7 | 100 |
| 1517 | 14 - 17 | 7 | 100 |
| 1518 | 15 - 18 | 7 | 100 |
| 1720 | 17 - 20 | 7 | 100 |

| Reference | Ø min./max. (mm) | Band width (mm) | Packaging |
|-------------|------------------|-----------------|-----------|
| 1821 | 18 - 21 | 7 | 100 |
| 2023 | 20 - 23 | 8 | 100 |
| 2225 | 22 - 25 | 9 | 100 |
| 2327 | 23 - 27 | 9 | 100 |
| 2528 | 25 - 28 | 9 | 100 |
| 2731 | 28 - 31 | 9 | 100 |
| 3134 | 31 - 34 | 9 | 100 |
| 3437 | 34 - 37 | 9 | 100 |
| 3740 | 37 - 40 | 10 | 50 |
| 4043 | 40 - 43 | 10 | 50 |
| 4346 | 43 - 46 | 10 | 50 |



Dimensions

| Reference | A mm | B mm |
|-------------|------|------|
| 0709 | 9.3 | 3 |
| 0911 | 11.3 | 3 |
| 1113 | 13.3 | 3.5 |
| 1315 | 15.3 | 3.5 |
| 1517 | 17.5 | 4.5 |
| 1518 | 18.5 | 4.5 |
| 1720 | 20.5 | 5.5 |
| 1821 | 21.5 | 5.5 |
| 2023 | 23.5 | 5.5 |
| 2225 | 25.5 | 6 |
| 2327 | 27.5 | 6.5 |
| 2528 | 28.5 | 7 |
| 2731 | 31.5 | 7 |
| 3134 | 34.5 | 7.5 |
| 3437 | 37.5 | 7.5 |
| 3740 | 40.5 | 8 |
| 4043 | 43.5 | 8.5 |
| 4346 | 46.5 | 8.5 |