

Complete wall-mounted kit for 180/220 litre oil drums



| Includes | Technology | Operating pressure | Outlet pressure |
|------------------------------|--------------------|--------------------|--------------------------------|
| - wall-mounted pump - tube | Piston dual action | 3 to 7 bar | 28 bar (air pressure at 7 bar) |
| length 940 mm - wall | | 1 | 1 |
| mounting bracket with G 2 | | | |
| nut - 2 m rubber hose Ø 1" | | | |
| Flow rate | BSPP female thread | Pressure ratio | BSPP male thread |
| 20 l/min (for air pressure 6 | Air inlet : G 1/4 | 4:1 | Oil outlet : G 1/2 |
| bar) | | | |


| Description | | | | |
|-------------|----------|--|--|--|
| Reference | Includes | | | |

Prevost UK LTD - Unit G, Tower Business Park - Commercial Road - BB3 OFJ Darwen - Lancashire - United kingdom Phone. (+44) 01254 873 389 -sales@prevost-ltd.co.uk - www.prevost.eu



| EPH MRK220 | - wall-mounted pump - tube length 940 mm - wall mounting bracket with G 2 nut - 2 m rubber hose Ø 1" | |
|-------------|--|--|
| EPH MRKF220 | Complete wall-mounted kit for 180/220 litre oil drums with filter-regulator, lubricator | |

prevost



| Dimensions | | | | |
|-------------|------|------|--|--|
| Reference | A mm | B mm | | |
| EPH MRK220 | 445 | 940 | | |
| EPH MRKF220 | 445 | 940 | | |