

Product :

**LUB 3256**

Code : C01971-PREV

Version : 1.1

Revision : 31-October-2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier****Trade name or designation of the mixture** LUB 3256**Registration number** -**Synonyms** None.**Product code** C01971-PREV**1.2. Relevant identified uses of the substance or mixture and uses advised against****Identified uses** Hydraulic fluid**Uses advised against** Not available.**1.3. Details of the supplier of the safety data sheet****Supplier****Company name** CONDAT  
**Address** 104 Avenue Frédéric Mistral - B.P. 16  
38670 CHASSE-SUR-RHONE

FR

**Division** Products Regulatory Affairs Department**Telephone** Tel.: 33 (0)4 78.07.38.38

Fax: 33 (0)4 78.07.38.00

**e-mail** arp@condat.fr**Contact person** Products Regulatory Affairs Department**1.4. Emergency telephone number** Emergency Tel. (Office hours): 33 (0) 4 78 07 37 18**1.4. Emergency telephone number****General in EU** 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)**Austria National Poisons Information Centre** +431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)**Belgium National Poisons Control Centre** 070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)**Bulgaria National Toxicological Information Centre** +359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)**Croatia Poisons Information Centre** +385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)**Cyprus Poison Centre** 1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)**Czech Republic National Poisons Information Centre** +420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)**Denmark National Poisons Control Centre** +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)**Estonia National Poisons Information Centre** 16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Product :

**LUB 3256**

Code : C01971-PREV

Version : 1.1

Revision : 31-October-2024

## 1.4. Emergency telephone number

<b>Finland National Poison Information Centre</b>	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>France National Poisons Control Centre</b>	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Greece Poison Information Centre telephone number</b>	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Hungary National Emergency Phone Number</b>	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Iceland Poison Centre</b>	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Latvia Emergency medical aid</b>	113
<b>Latvia Poison and Drug Information Centre</b>	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Lithuania Neatidėliotina informacija apsinuodijus</b>	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
<b>Malta Accident and Emergency Department</b>	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
<b>Netherlands National Poisons Information Centre (NVIC)</b>	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
<b>Norway Norwegian Poison Information Centre</b>	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Portugal Poison Centre</b>	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Romania Biroul RSI si Informare Toxicologica</b>	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
<b>Slovakia National Toxicological Information Centre</b>	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Spain Toxicology Information Service</b>	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Sweden National Poison Information Centre</b>	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Switzerland Tox Info Suisse</b>	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.



# SAFETY DATA SHEET

Product :

**LUB 3256**

Code : C01971-PREV

Version : 1.1

Revision : 31-October-2024

## Classification according to Regulation (EC) No 1272/2008 as amended

This mixture is not classified as hazardous according to the criteria for classification of the Regulation (EC) 1272/2008 as amended.

## 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

**Hazard pictograms** None.

**Signal word** None.

**Hazard statements** The mixture is not classified as hazardous according to the criteria for classification.

### Precautionary statements

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

### Supplemental label information

EUH210 - Safety data sheet available on request.

## 2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy paraffinic	90 - 100	64742-54-7* 265-157-1	01-2119484627-25-XXXX	649-467-00-8	
<b>Classification:</b> Asp. Tox. 1;H304					

#### List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. "-" = Not available or this substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Composition comments

Occupational Exposure Limits for constituents are listed in Section 8. The full text for all H-statements is displayed in section 16.

- Contains : Mineral oil. DMSO Extract < 3% according to IP 346 Method.

(\*) Paraffinic mineral oil can be described by one of the following CAS numbers: 64741-88-4; 64741-89-5; 64742-54-7; 64742-55-8; 64742-56-9; 64742-65-0; 64742-62-7; 72623-86-0; 72623-87-1; 101316-69-2; 101316-72-7

## SECTION 4: First aid measures

#### General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Product :

**LUB 3256**

Code : C01971-PREV

Version : 1.1

Revision : 31-October-2024

**4.1. Description of first aid measures****Inhalation**

Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact**

Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact**

Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion**

Rinse mouth thoroughly. If swallowed, do NOT induce vomiting. Get medical attention if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed**

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****General fire hazards**

Will burn if involved in a fire. No unusual fire or explosion hazards noted.

**5.1. Extinguishing media****Suitable extinguishing media**Foam. Dry chemicals. Carbon dioxide (CO<sub>2</sub>). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.**Unsuitable extinguishing media**

Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture**

See also section 10.

**5.3. Advice for firefighters****Special protective equipment for firefighters**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Special fire fighting procedures**

In case of fire and/or explosion do not breathe fumes. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

**Specific methods**

In the event of fire and/or explosion do not breathe fumes.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Wear appropriate personal protective equipment.

**For emergency responders**

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

**6.2. Environmental precautions**

Local authorities should be advised if significant spillages cannot be contained. Avoid discharge into drains, water courses or onto the ground.

**6.3. Methods and material for containment and cleaning up**

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. The product is insoluble in water.

**6.4. Reference to other sections**

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

Product :	<b>LUB 3256</b>	
Code : C01971-PREV	Version : 1.1	Revision : 31-October-2024

## SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Wash hands after handling. Handle in accordance with good industrial hygiene and safety practices. Adequate ventilation should be provided so that exposure limits are not exceeded.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Keep away from heat and sources of ignition. Store in closed original container in a dry place. Store away from incompatible materials (see Section 10 of the SDS).
<b>7.3. Specific end use(s)</b>	Observe industrial sector guidance on best practices.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

**Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended**

Components	Type	Value
Distillates (petroleum), hydrotreated heavy paraffinic	TWA	5 mg/m3

Additional components	Type	Value
OIL MIST, MINERAL (CAS SEQ100910)	TWA	5 mg/m3

**Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2**

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic	STEL	2 mg/m3	Mist.
	TLV	1 mg/m3	Mist.
Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	STEL	2 mg/m3	Mist.
	TLV	1 mg/m3	Mist.

**Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health**

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic	TWA	5 mg/m3	Mist.
Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	TWA	5 mg/m3	Mist.

**Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended**

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic	TWA	1 mg/m3	Mist.

Product :

**LUB 3256**

Code : C01971-PREV

Version : 1.1

Revision : 31-October-2024

**Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended**

Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	TWA	1 mg/m3	Mist.

**Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations**

Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	TWA	5 mg/m3	Inhalable fraction.

**Latvia. OELs. Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex 1), as amended**

Components	Type	Value
Distillates (petroleum), hydrotreated heavy paraffinic	TWA	5 mg/m3

Additional components	Type	Value
OIL MIST, MINERAL (CAS SEQ100910)	TWA	5 mg/m3

**Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended**

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.

**Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)**

Components	Type	Value
Distillates (petroleum), hydrotreated heavy paraffinic	STEL	10 mg/m3
	TWA	5 mg/m3
Additional components	Type	Value
OIL MIST, MINERAL (CAS SEQ100910)	STEL	10 mg/m3
	TWA	5 mg/m3

Product :

**LUB 3256**

Code : C01971-PREV

Version : 1.1

Revision : 31-October-2024

**Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)**

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic	STEL	3 mg/m <sup>3</sup>	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m <sup>3</sup>	Fume and mist.
		5 ppm	Fume and mist.
Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	STEL	3 mg/m <sup>3</sup>	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m <sup>3</sup>	Fume and mist.
		5 ppm	Fume and mist.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures**

**Additional exposure data** Not available.

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

**8.2. Exposure controls**

**Appropriate engineering controls** Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment**

**General information** Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection**

**- Hand protection** Use protective gloves made of: Nitrile. Polyvinyl chloride (PVC).

**- Other** Normal work clothing (long sleeved shirts and long pants) is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures**

Wash hands after handling. Handle in accordance with good industrial hygiene and safety practices.

**Environmental exposure controls**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

Product :

**LUB 3256**

Code : C01971-PREV

Version : 1.1

Revision : 31-October-2024

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Colour</b>	Blonde.
<b>Odour</b>	Oily.
<b>Melting point/freezing point</b>	Not available.
<b>Boiling point or initial boiling point and boiling range</b>	Not available.
<b>Flammability</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Explosive limit - lower ( %)</b>	Not available.
<b>Explosive limit – upper ( %)</b>	Not available.
<b>Flash point</b>	>175,0 °C (>347,0 °F) ASTM D 92.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>pH</b>	Not applicable.
<b>Kinematic viscosity</b>	> 29 - < 35 mm <sup>2</sup> /s (40 °C (104 °F))
<b>Solubility</b>	
<b>Solubility (water)</b>	Insoluble
<b>Solubility (solvents)</b>	Soluble in hydrocarbons
<b>Partition coefficient (n-octanol/water) (log value)</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Density and/or relative density</b>	
<b>Relative density</b>	0,87
<b>Relative density temperature</b>	15 °C (59 °F)
<b>Vapour density</b>	Not available.
<b>Particle characteristics</b>	Not available.

### 9.2. Other information

**9.2.1. Information with regard to physical hazard classes** No relevant additional information available.

### 9.2.2. Other safety characteristics

<b>Explosive properties</b>	Not available.
<b>Pour point</b>	<-18 °C (<-0,4 °F)

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.



Product :	<b>LUB 3256</b>	
Code : C01971-PREV	Version : 1.1	Revision : 31-October-2024

- 10.3. Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.
- 10.4. Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials.
- 10.5. Incompatible materials** Strong oxidising agents.
- 10.6. Hazardous decomposition products** Carbon oxides. Sulphur compounds.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity** Elevated temperatures or mechanical action may form vapours, mist, or fumes which may be irritating to the eyes, nose, throat, or lungs.  
Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhoea.

Components	Species	Test Results
Distillates (petroleum), hydrotreated heavy paraffinic		
<b>Acute Dermal</b>		
LD50	Rat	> 5000 mg/kg
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg
<b>Skin corrosion/irritation</b>	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.	
<b>Serious eye damage/eye irritation</b>	Not classified.	
<b>Respiratory sensitisation</b>	Not classified.	
<b>Skin sensitisation</b>	Not classified.	
<b>Germ cell mutagenicity</b>	Not classified.	
<b>Carcinogenicity</b>	Not classified.	
<b>Reproductive toxicity</b>	Not classified.	
<b>Specific target organ toxicity - single exposure</b>	Not classified.	
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.	
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.	
<b>Mixture versus substance information</b>	No information available.	

### 11.2. Information on other hazards

- Endocrine disrupting properties** This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
- Other information** Not available.

## SECTION 12: Ecological information

- 12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

Product :	<b>LUB 3256</b>	
Code : C01971-PREV	Version : 1.1	Revision : 31-October-2024

<b>12.2. Persistence and degradability</b>	(calculated) Water hazard class (WGK) [Germany] : 1 Water hazard class (WGK) [Germany] : 1.
<b>12.3. Bioaccumulative potential</b>	No data available.
<b>Partition coefficient n-octanol/water (log Kow)</b>	Not available.
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.4. Mobility in soil</b>	No data available.
<b>Mobility in general</b>	The product is immiscible with water and will spread on the water surface.
<b>12.5. Results of PBT and vPvB assessment</b>	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
<b>12.6. Endocrine disrupting properties</b>	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
<b>12.7. Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EU waste code</b>	Waste codes should be assigned by the user based on the application for which the product was used. Unused product : 16 03 06
<b>Disposal methods/information</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge into drains, water courses or onto the ground.
<b>Special precautions</b>	Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

<b>14.1. UN number</b>	Not regulated as dangerous goods.
<b>14.2. UN proper shipping name</b>	Not regulated as dangerous goods.
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	Not assigned.
<b>Subsidiary hazard</b>	-
<b>Hazard No. (ADR)</b>	Not assigned.
<b>Tunnel restriction code</b>	Not assigned.
<b>14.4. Packing group</b>	-
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Not assigned.

### IATA

<b>14.1. UN number</b>	Not regulated as dangerous goods.
------------------------	-----------------------------------

Product :

**LUB 3256**

Code : C01971-PREV

Version : 1.1

Revision : 31-October-2024

**14.2. UN proper shipping name** Not regulated as dangerous goods.

**14.3. Transport hazard class(es)**

**Class** Not assigned.

**Subsidiary hazard** -

**14.4. Packing group** -

**14.5. Environmental hazards** No.

**14.6. Special precautions for user** Not assigned.

## IMDG

**14.1. UN number** Not regulated as dangerous goods.

**14.2. UN proper shipping name** Not regulated as dangerous goods.

**14.3. Transport hazard class(es)**

**Class** Not assigned.

**Subsidiary hazard** -

**14.4. Packing group** -

**14.5. Environmental hazards**

**Marine pollutant** No.

**EmS** Not assigned.

**14.6. Special precautions for user** Not assigned.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable.

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

Product :

**LUB 3256**

Code : C01971-PREV

Version : 1.1

Revision : 31-October-2024

**Authorisations****Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

**Restrictions on use****Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered**

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7\*)

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

**Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended**

Not listed.

**Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended**

Not listed.

**Other regulations**

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

**National regulations**

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information****List of abbreviations**

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.  
ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.  
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).  
CAS: Chemical Abstract Service.  
CEN: European Committee for Standardization.  
IATA: International Air Transport Association.  
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.  
IMDG: International Maritime Dangerous Goods.  
MAC: Maximum Allowed Concentration.  
MARPOL: International Convention for the Prevention of Pollution from Ships.  
PBT: Persistent, bioaccumulative and toxic.  
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.  
STEL: Short term exposure limit.  
TLV: Threshold Limit Value.  
TWA: Time Weighted Average.  
VLE: Exposure Limit Value.  
VME: Exposure Average Value.  
vPvB: Very persistent and very bioaccumulative.

**References**

Not available.

**Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Full text of any statements, which are not written out in full under sections 2 to 15**

H304 May be fatal if swallowed and enters airways.



# SAFETY DATA SHEET

Product :

**LUB 3256**

Code : C01971-PREV

Version : 1.1

Revision : 31-October-2024

**Revision information**

None.

**Training information**

Follow training instructions when handling this material.

*CONDAT cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. This document complements the technical sheets but does not replace them. The information contained herein is based on our knowledge of the concerned product on the date indicated. It is offered in good faith. Furthermore, the regulatory requirements referred to must not be considered as exhaustive. They do not exempt in any form the user from knowing and applying all regulations related to the possession and use of the product. The user takes as their sole responsibility the implementation of precautions relating to storage and their use of the product.*